

=> fil reg
FILE 'REGISTRY' ENTERED AT 16:42:06 ON 10 MAR 2008
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 9 MAR 2008 HIGHEST RN 1007215-88-4
DICTIONARY FILE UPDATES: 9 MAR 2008 HIGHEST RN 1007215-88-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stndgen/stndoc/properties.html>

=> d que stat 12
L1 STR







VAR G1=H/11
NODE ATTRIBUTES:
CONNECT IS E2 RC AT 4
DEFAULT MLEVEL IS ATOM
GGCAT IS SAT AT 4
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 11

STEREO ATTRIBUTES: NONE
L2 62762 SEA FILE=REGISTRY SSS FUL L1

100.0% PROCESSED 394644 ITERATIONS 62762 ANSWERS
SEARCH TIME: 00.00.04

=> d que stat 14
L4 STR



VAR G1=H/CH3

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

GGCAT IS UNS AT 22

GGCAT IS SAT AT 23

GGCAT IS UNS AT 24

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:





RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 18

STEREO ATTRIBUTES: NONE

=> d que stat 16

L6 STR



VAR G1=H/CH3

NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM

GGCAT IS UNS AT 28

GGCAT IS SAT AT 29

GGCAT IS UNS AT 30

DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:

RING(S) ARE ISOLATED OR EMBEDDED

NUMBER OF NODES IS 18

STEREO ATTRIBUTES: NONE

=> d his nofile

(FILE 'HOME' ENTERED AT 16:14:03 ON 10 MAR 2008)

FILE 'REGISTRY' ENTERED AT 16:14:17 ON 10 MAR 2008

D SAV

ACT RED210/A

L1

STR

L2 62762 SEA SSS FUL L1

3/11/2008

10/588,210

3

Deleted: 3/10/2008

FILE 'REGISTRY' ENTERED AT 16:16:56 ON 10 MAR 2008

L3 STR
L4 STR L3
L5 STR
L6 STR L5
L7 0 SEA SUB=L2 SSS SAM L4
L8 6 SEA SUB=L2 SSS FUL L4
D SCA
L9 SCR 1313
L10 0 SEA SUB=L2 SSS SAM L6
L11 0 SEA SUB=L2 SSS SAM L6 NOT L9
L12 0 SEA SUB=L2 SSS FUL L6
L13 473 SEA ABB=ON PLU=ON C26H32O5/MF
L14 83 SEA ABB=ON PLU=ON L13 AND NR=2
L15 1 SEA ABB=ON PLU=ON 41637-38-1/RN
L16 0 SEA ABB=ON PLU=ON L14 AND ?ACRYLAT?/CNS
L17 27 SEA ABB=ON PLU=ON L14 AND ?ETHOXY?/CNS
D SCA
L18 464 SEA ABB=ON PLU=ON L2 AND ?BISPHENOL?/CNS
L19 437 SEA ABB=ON PLU=ON L18 AND ?ACRYLAT?/CNS
L20 0 SEA ABB=ON PLU=ON L13 AND ?BISPHENOL?/CNS
L21 0 SEA ABB=ON PLU=ON "(C2 H4 O)N (C2 H4 O)N C22 H24
O3"/MF
L22 0 SEA ABB=ON PLU=ON "(C2 H4 O)N C22 H24 O3"/MF


=> d sca 18

L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-
[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-
methylethyl]phenoxy]ethyl ester, polymer with
[(dibromophenoxy)methyl]oxirane, 2,4,6-tribromophenyl
2-methyl-2-propenoate and UA 30F (9CI)
MF (C28 H30 Br4 O6 . C10 H7 Br3 O2 . C9 H8 Br2 O2 . Unspecified)x
CI PMS

CM 1

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

CM 2




PAGE 1-B




CM 3



2 (D1—Br)




CM 4



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):7

L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-methylethyl]phenoxy]ethyl ester (9CI)
 MF C28 H30 Br4 O6
 CI COM




PAGE 1-B



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-
 [(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-
 methylethyl]phenoxy]ethyl ester, polymer with
 [(dibromophenoxy)methyl]oxirane and 2,4,6-tribromophenyl
 2-methyl-2-propenoate (9CI)
 MF (C₂₈ H₃₀ Br₄ O₆ . C₁₀ H₇ Br₃ O₂ . C₉ H₈ Br₂ O₂)_x
 CI PMS


CM 1




CM 2



2 (D1-Br)




CM 3




L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-
 [(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-
 methylethyl]phenoxy]ethyl ester, polymer with
 [(dibromophenoxy)methyl]oxirane, 2-(4-methylphenoxy)ethyl
 2-propenoate and 2,4,6-tribromophenyl 2-methyl-2-propenoate (9CI)
 MF (C₂₈ H₃₀ Br₄ O₆ . C₁₂ H₁₄ O₃ . C₁₀ H₇ Br₃ O₂ . C₉ H₈ Br₂ O₂)_x
 CI PMS

CM 1




CM 2




CM 3



2 (D1-Br)




CM 4



L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-
 [(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-
 methylethyl]phenoxyethyl ester, polymer with
 [(dibromophenoxy)methyl]oxirane, 2-(4-methylphenoxy)ethyl
 2-propenoate, Shikoh UV 7000B and 2,4,6-tribromophenyl
 2-methyl-2-propenoate (9CI)
 MF (C₂₈ H₃₀ Br₄ O₆ . C₁₂ H₁₄ O₃ . C₁₀ H₇ Br₃ O₂ . C₉ H₈ Br₂ O₂ .
 Unspecified)x
 CI PMS


CM 1



PAGE 1-B



CM 2




CM 3

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


CM 4



2 (D1-Br)




CM 5



L8 6 ANSWERS REGISTRY COPYRIGHT 2008 ACS on STN
 IN 3-Butenoic acid, 3-methyl-, 2-[2,6-dibromo-4-[1-[3,5-dibromo-4-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethoxy]phenyl]-1-methylethyl]phenoxy]ethyl ester, polymer with [(dibromophenoxy)methyl]oxirane, α -(1-oxo-2-propenyl)- ω -(4-methylphenoxy)poly(oxy-1,2-ethanediyl), Shikoh UV 7000B and 2,4,6-tribromophenyl 2-methyl-2-propenoate (9CI)
 MF (C₂₈H₃₀Br₄O₆.C₁₀H₇Br₃O₂.C₉H₈Br₂O₂.(C₂H₄O)_nC₁₀H₁₀O₂.Unspecified)x
 CI PMS

CM 1






CM 2

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


CM 3




2 (D1-Br)



CM 4



CM 5



ALL ANSWERS HAVE BEEN SCANNED

=>